



AMERICAN
DESIGN

SILVERDOME

BRING COMFORT HOME



Appliances
Catalog



Brief Introduction of Silverdome

Silverdome's parent company Cosmoss Vu Limited was established in Hong Kong in 2005. Ever since its inception the founding pillars have rested on the principles of Sincerity, Integrity and Dedication. These core philosophies have been the driving force that has enabled Cosmoss Vu Limited to stand out to its clients across the many markets that it operates in.

Cosmoss Vu Limited focuses in the Chemicals and Home Appliances sectors. The expertise the company has in the various up-stream raw materials that get processed to finished home appliance goods has enabled Cosmoss Vu Limited to stay one step ahead. This has helped them to carefully develop and craft products of a premium quality whilst maintaining affordability for customers. Over the years, Cosmoss Vu Limited has launched over 500 SKUs across international markets in small home appliances, large home appliances and home electronics.

After building brands across Africa, Middle East and Asia, Cosmoss Vu Limited decided to start Silverdome in 2023. Imbibing the core ethics and modus operandi of the parent company, Silverdome looks to showcase on a global scale a portfolio of products that demonstrate outstanding quality, reliability & aesthetics. A systematic and methodical engineering-oriented approach is carefully followed to bring Silverdome customers high performing and long-lasting products that are sure to bring a smile on customer faces. Silverdome seeks to be:

A brand for the people

A brand that speaks

A brand that cares

A brand that leads for decades to come

Silverdome looks to be your partner in getting you the perfect family of products to Bring Comfort Home!



SILVERDOME'S

Product Quality Assurance

Quality is central in ensuring Silverdome can put a smile on customer faces and Bring Comfort Home. Quality for us begins even before the product is manufactured. Ensuring the manufacturing environment follow a clear and systematic production flow and making sure the right testing equipment is present is vital in quality control. Silverdome's engineering team dedicates its time in ensuring manufacturing environments are conducive to creating high performing products by constantly working to improve and refine production practices for greater results. Quality at Silverdome consists of multiple parameters that include durability, serviceability, reliability, features, performance, aesthetics, conformance and perceived quality. Silverdome has defined its own SOP that is rigourously followed by the engineering team pre and post production to provide customers a product that they will surely love!





CONTENTS

10 /  Side By Side Refrigerators	88 /  Air Conditioners	154 /  Blenders And Juicers
14 /  No Frost Refrigerators	96 /  Water Dispensers	168 /  Grills
20 /  Defrost Refrigerators	102 /  Dry And Steam Irons	172 /  Multi-Function Egg Cookers
30 /  Chest Freezers	114 /  Garment Steamer	176 /  Televisions
46 /  Showcase Chillers	118 /  Sandwich Makers And Grills	184 /  Scales
58 /  Twin Tub Washing Machines	124 /  Air Fryers	190 /  Hydration
66 /  Top Load Washing Machines	130 /  Multi Pressure Cookers	194 /  Kitchen Tools
72 /  Front Load Washing Machines	134 /  Rice Cookers	
76 /  Free Standing Cookers	146 /  Kettles	

SILVERDOME

Side by Side Refrigerators



RFS - 472

Side by Side Refrigerator (442L)



Specifications

- Net Capacity: 442L
- Refrigerant: R600a
- Freezer Compartment:**
- Door Balcony (Material/Qty/Color): PS / 4 / White or transparent
- Shelf (Material/Qty): Tempered glass / 4
- Freezing Capacity 11.2kg/24h
- Fridge Compartment**
- Crisper Drawer (Material/Qty/Color): Transparent front cover
- Door Balcony (Material/Qty/Color): White or transparent
- Butter and Cheese Compartment: Transparent cover
- Shelf (Material/Qty): Tempered glass / 4
- Crisper Cover: Tempered glass / 1
- Interior Light (Type/no.): LED

Features

- External Soft Touch Digital Display
- Air flow system: Multi & Dyna Cool
- Black Glass Finish

Dimensions

- Height - 1770mm
- Width - 910mm
- Depth - 590mm



4 Star Super Cooling and Freezing



Tropicalised Compressor



No Frost



CFC Free

RFS - 520

Side by Side Refrigerator (519L)



Specifications

- Net Capacity: 519L
- Refrigerant: R600a
- Freezer Compartment:**
- Door Balcony (Material/Qty/Color): PS / 3 / White or transparent
- Shelf (Material/Qty): Tempered glass / 4
- Fridge Compartment**
- Crisper Drawer (Material/Qty/Color): Transparent front cover
- Door Balcony (Material/Qty/Color): White or transparent
- Door Panel Color "Metal: Silver / White / Inox /black
- Shelf (Material/Qty): Tempered glass / 4
- Crisper Cover: Tempered glass / 1
- Interior Light (Type/no.): LED / 1

Features

- 9h storage time during power-off
- Air flow system: Multi & Dyna Cool
- LED touch display & control panel
- Door Opened Over Alarm
- Holiday Function
- ECO smart mode

Dimensions

- Height - 1770mm
- Width - 910mm
- Depth - 675mm



4 Star Super Cooling and Freezing



Tropicalised Compressor



No Frost



CFC Free



SILVERDOME

No Frost Refrigerators

RFF - 220

No Frost Refrigerator (197L)



Specifications

- Net Refrigerator / Freezer Capacity: 145L/52L
- Cabinet / Door Frame : Dark Grey with Inox door panel
- Adjustable tempered glass shelf and crisper cover
- Door : With Recessed handle and key
- Electronic temperature control
- Freezing capacity : 2.4kg/24h
- Condensor type : Inside
- 1 Hermetic compressor
- Evaporator : Finned
- GW/NW : 45/41kilo
- Defrost : Automatic
- R600a refrigerant
- Interior light : LED

Features

- Crisper Glass cover
- Crisper Glass shelf
- Fast Cooling

Dimensions

- Height -1425mm
- Width - 560mm
- Depth - 545mm



4 Star Freezer Rating



Tropicalised Compressor



No Frost



CFC Free

RFF - 260

No Frost Refrigerator (247L)



Specifications

- Net Capacity: 247L
- Crisper Drawer Material / Number / Color: PS / 1 / transparent
- Door Balcony Material / Number / Color: PS / 2/ transparent
- Door Balcony Material / Number / Color: PS / 3 / transparent
- Door Panel Material & Color: PCM white / silver / inox
- Adjustable shelf type / number: Glass / 3
- Crisper cover type / number: Glass / 1
- Butter and cheese compartment: No
- Freezer shelf (Material/No): Glass / 1
- Temperature Control: Electronic
- Freezing Capacity: 2.5kg/24h
- Interior Lamp: Yes/1W
- Refrigerant: R600a

Features

- 11h Storage time during power-off
- Reversible Doors

Dimensions

- Height -1670mm
- Width - 550mm
- Depth - 555mm



4 Star Freezer Rating



Tropicalised Compressor



No Frost



CFC Free

RFF - 360

No Frost Refrigerator (334L)



Specifications

- Net Refrigerator / Freezer Capacity: 257L/77L
- Cabinet / Door Frame : Dark Grey with Inox door panel
- Adjustable tempered glass shelf and crisper cover
- Door : With Recessed handle and key
- Electronic temperature control
- Freezing capacity : 2.4kg/24h
- Condensor type : Inside
- 1 Hermetic compressor
- Evaporator : Finned
- GW/NW : 45/41kilo
- Defrost : Automatic
- R600a refrigerant
- Interior light : LED

Features

- Crisper Glass cover
- Crisper Glass shelf
- Grey Inox finish
- Fast Cooling

Dimensions

- Height -1425mm
- Width - 560mm
- Depth - 545mm



4 Star Freezer Rating



Tropicalised Compressor



No Frost



CFC Free

RFF - 425

No Frost Refrigerator (425L)



Specifications

- Net Refrigerator / Freezer: 348L/77L
- Crisper Drawer Material / Number / Color: HIPS / 1 / Transparent
- Door Balcony Material / Number / Color: HIPS / 3 / Transparent
- Temperature Rise Time with Power Breakdown: 9h
- Crisper with Intelligent Humidity Controller: Yes
- Shelf (Material/QTY): Tempered Glass / 4
- Crisper Cover: Tempered Glass / 1
- Interior Light (Type/No): LED / 1
- Beverage Bottle Bin: 2.0L
- Refridgerant: R600a

Features

- Air-Flow system: Multi & Dyna Cool
- Toughened Glass Shelves
- Water Dispenser

Dimensions

- Height -1700mm
- Width - 600mm
- Depth - 670mm



4 Star Freezer Rating



Tropicalised Compressor



No Frost



CFC Free

SILVERDOME

Defrost Refrigerators



SILVERDOME

RFD - 85

Defrost Refrigerator (85L)



Specifications

- Net Refrigerator / Freezer Capacity Net : 61L/24L
- Cabinet / Door Frame : White/Grey with White/Silver door panel
- Adjustable tempered glass shelf and crisper cover
- Door : With Recessed handle and key
- Freezing capacity : 2.4kg/24h
- Condensor type : Inside
- 1 Hermetic compressor
- GW/NW : 26/24kilo
- Evaporator : Finned
- Defrost : Automatic
- R600a refrigerant
- Interior light : LED

Features

- Crisper Glass cover
- Crisper Glass shelf
- Fast Cooling

Dimensions

- Height - 850mm
- Width - 510mm
- Depth - 480mm



4 Star Freezer Rating



Tropicalised Compressor



Defrost



CFC Free

RFD - 128

Defrost Refrigerator (126L)



Specifications

- Net Refrigerator / Freezer Capacity: 97L / 29L
- Vegetable Crisper Cover (Material/Qty): Safety Glass / 1
- Crisper Cover Type / Number Glass / 1
- Shelf (Material / Qty): Safety Glass / 2
- Temperature Control: Mechanical
- Door Balcony: 3 / Transparent
- Refrigerant: R600a/37g
- Freezer Shelf: Glass
- Interior Lamp: Yes

Features

- Toughened Glass Shelves
- Fast Cooling

Dimensions

- Height - 1160mm
- Width - 480mm
- Depth - 520mm



4 Star Freezer Rating



Tropicalised Compressor



Defrost



CFC Free

RFD - 142

Defrost Refrigerator (138L)



Specifications

- Net Refrigerator / Freezer Capacity (Liters) : 98L/40L
- Vegetable Crisper Cover (Material/Qty): Safety Glass/1
- Shelf (Material/Qty): Safety Glass / 2
- Temperature Control: Mechanical
- Crystal Vegetable Crisper (Qty) 1
- Door Balcony: 3 / transparent
- Freezer Shelf: Cool Pack
- Refrigerant: R600a/41g
- Interior Lamp: Yes

Features

- Toughened Glass Shelves
- Fast Cooling

Dimensions

- Height - 1282mm
- Width - 474mm
- Depth - 498mm



4 Star Freezer Rating



Tropicalised Compressor



Defrost



CFC Free

RFD - 144

Defrost Refrigerator (134L)



Specifications

- Net Refrigerator / Freezer Capacity (Liters) : 89L/45L
- Vegetable Crisper Cover (Material/Qty): Safety Glass/1
- Shelf (Material/Qty): Safety Glass / 2
- Temperature Control: Mechanical
- Crystal Vegetable Crisper (Qty) 1
- Door Balcony: 3 / transparent
- Refrigerant: R600a/41g
- Freezer Shelf: Wire / 1
- Ice Cube Tray: No
- Interior Lamp: Yes

Features

- Toughened Glass Shelves
- Fast Cooling

Dimensions

- Height - 1380mm
- Width - 480mm
- Depth - 530mm



4 Star Freezer Rating



Tropicalised Compressor



Defrost



CFC Free

RFD - 175

Defrost Refrigerator (175L)



Specifications

- Net Capacity (Liters) : 175L
- Vegetable Crisper Cover (Material/Qty): Safety Glass/1
- Shelf (Material/Qty): Safety Glass / 2
- Temperature Control: Mechanical
- Crystal Vegetable Crisper (Qty) 1
- Door Balcony: 3 / transparent
- Refrigerant: R600a/41g
- Interior Lamp: Yes/10W
- Freezer Shelf: Wire / 1
- Egg Tray: Yes

Features

- Toughened Glass Shelves
- Fast Cooling

Dimensions

- Height -1380mm
- Width - 480mm
- Depth - 530mm



4 Star Freezer Rating



Tropicalised Compressor



Defrost



CFC Free

RFD - 180

Defrost Refrigerator (165L)



Specifications

- Net capacity: 165L
- Cabinet / Door Frame : S/S Look VCM
- Door : With Recessed handle and key
- Temperature control : Mechanical
- Condensor type : Outside
- Net Weight (Kg) : 30
- Defrost : Automatic
- Refrigerant : R600a
- Evaporator : Inside
- Interior light : Yes

Features

- Crisper Glass cover
- Crisper Glass shelf
- Black Inox finish
- Fast Cooling

Dimensions

- Height -1295mm
- Width - 557mm
- Depth - 519mm



4 Star Freezer Rating



Tropicalised Compressor



Defrost



CFC Free

RFD - 210

Defrost Refrigerator (200L)



Specifications

- Net capacity: 200L
- Cabinet / Door Frame : S/S Look VCM
- Door : With Recessed handle and key
- Temperature control : Mechanical
- Condensor type : Outside
- Net Weight (Kg) : 40
- Defrost : Automatic
- Refrigerant : R600a
- Evaporator : Inside
- Interior light : Yes

Features

- Crisper Glass cover
- Crisper Glass shelf
- Black Inox finish
- Fast Cooling

Dimensions

- Height -1483mm
- Width - 520mm
- Depth - 519mm



4 Star Freezer Rating



Tropicalised Compressor



Defrost



CFC Free

RFD - 225

Defrost Refrigerator (225L)



Specifications

- Net Capacity (Liters) : 225L
- Vegetable Crisper Cover (Material/Qty): Safety Glass/1
- Shelf (Material/Qty): Safety Glass / 2
- Temperature Control: Mechanical
- Crystal Vegetable Crisper (Qty) 1
- Drain Pan (Material/No) HIPS/1
- Door Balcony: 3 / transparent
- Refrigerant: R600a/41g
- Beverage Bottle Bin: 2.0L
- Interior Lamp: Yes/10W
- Body Color: White
- Energy Class: A

Features

- Toughened Glass Shelves
- Fast Cooling

Dimensions

- Height -1550mm
- Width - 480mm
- Depth - 530mm



4 Star Freezer Rating



Tropicalised Compressor



Defrost



CFC Free



SILVERDOME
Chest Freezers

CFM - 101

Chest Freezer (93L)



Specifications

- Net Volume Freezer (L): 93
- Freezing capacity - 7.2kg / 24h
- Temperature range : \leq -18°C
- Refrigerant R600a/58g
- GW/NW : 34kilo/31kilo
- External Condenser
- With VCM door
- LED light
- 1 Basket

Features

- Energy Class : A+
- Fast Freezing

Dimensions

- Height - 845mm
- Width - 564mm
- Depth - 754mm



4 Star Freezer Rating



Tropicalised Compressor



Defrost



CFC Free

CFM - 143

Chest Freezer (140L)



Specifications

- Net Volume Freezer (L): 140
- Mechanical control system with External Condenser
- Flat PCM Grey door with External handle
- Temperature range : \leq -18°C
- Refrigerant R600a/58g
- Manual Defrost System
- GW/NW : 34kilo/31kilo
- Power Input: 115W
- 1 Wire Basket
- LED light

Features

- 2 Adjustable + 2 Castor Feet
- With Door lock
- Fast Freezing

Dimensions

- Height - 845mm
- Width - 564mm
- Depth - 754mm



4 Star Freezer Rating



Tropicalised Compressor



Defrost



CFC Free

CFM - 145

Chest Freezer (145L)



Specifications

- Net Volume Freezer (L): 145
- Refrigerant (R600a/R134a): R600a/42g
- Door Panel Material & Color: Silver
- Condenser Type : Inside/Outside
- Freezing Capacity: 6.0 kg/24h
- Control System: Mechanical
- Power Input (watt): 115W
- Defrost system: Manual
- Cabinet Color: Grey
- Number of Doors: 1
- Door Type: Flat
- Door lock: Yes
- Basket: 1

Features

- Convertible Freezer
- Energy efficient
- With cool pack
- Fast freezing

Dimensions

- Height - 845mm
- Width - 705mm
- Depth - 550mm



4 Star Freezer Rating



Tropicalised Compressor



Defrost



CFC Free

CFM - 155

Chest Freezer (150L)



Specifications

- Net Volume Freezer (L): 150
- Wheelsⁿ(Front / Rear) : 2 adjustable feet+2 castor
- Cabinet / Door Frame: White
- Temperature Range :≤-18°C
- Defrost system: Manual
- Inside Walls: Aluminium
- Refrigerant: R600a
- Interior Light:Yes
- Basket: Wire/1

Features

- Energy Class :A+
- Fast freezing

Dimensions

- Height - 845mm
- Width - 754mm
- Depth - 564mm



4 Star Freezer Rating



Tropicalised Compressor



Defrost



CFC Free

CFM - 193

Chest Freezer (190L)



Specifications

- Net Volume Freezer (L): 190
- Freezing capacity - 7.2kg / 24h
- Temperature range : \leq -18°C
- Refrigerant R600a/65g
- GW/NW : 34kilo/31kilo
- External Condenser
- With VCM door
- LED light
- 1 Basket

Features

- Energy Efficient
- Fast Freezing

Dimensions

- Height - 845mm
- Width - 950mm
- Depth - 564mm



4 Star Freezer Rating



Tropicalised Compressor



Defrost



CFC Free

CFM - 200

Chest Freezer (198L)



Specifications

- Net Volume Freezer (L):198
- Freezing capacity - 7.2kg / 24h
- Temperature range : \leq -18°C
- Refrigerant R600a/58g
- GW/NW : 34kilo/31kilo
- External Condenser
- With VCM door
- LED light
- 1 Baske

Features

- Convertible Freezer
- Energy Efficient
- With Cool Pack
- Energy Efficient
- Fast Freezing

Dimensions

- Height -845mm
- Width - 905mm
- Depth - 545mm



4 Star Freezer Rating



Tropicalised Compressor



Defrost



CFC Free

CFM - 233

Chest Freezer (230L)



Specifications

- Net Volume Freezer (L): 230
- Mechanical control system with External Condenser
- Temperature range : $\leq -18^{\circ}\text{C}$
- GW/NW : 42kilo/34Kilo"
- Manual defrost system
- R600a/70g refrigerant
- Power Input : 125W
- 1 Wire Basket
- LED light

Features

- Energy efficient
- Fast Freezing

Dimensions

- Height -845mm
- Width - 950mm
- Depth - 644mm



Tropicalised Compressor



Defrost



CFC Free

CFM - 251

Chest Freezer (251L)



Specifications

- Net Volume Freezer (L): 251
- Refrigerant (R600a/R134a): R600a/42g
- Door Panel Material & Color: Silver
- Condenser Type : Inside/Outside
- Freezing Capacity: 13.5 kg/24h
- Control System: Mechanical
- Power Input (watt): 140W
- Defrost system: Manual
- Cabinet Color: Grey
- Number of Doors: 1
- Door Type: Flat
- Door lock: Yes
- Basket: 1

Features

- Convertible Freezer
- Energy efficient
- With cool pack
- Fast freezing

Dimensions

- Height - 845mm
- Width - 954mm
- Depth - 616mm



4 Star Freezer Rating



Tropicalised Compressor



Defrost



CFC Free

CFM - 265

Chest Freezer (260L)



Specifications

- Net Volume Freezer (L): 260
- Wheels^o(Front / Rear) : 2 adjustable feet+2 castor
- Cabinet / Door Frame: White
- Temperature Range :≤-18°C
- Defrost system: Manual
- Inside Walls: Aluminium
- Refrigerant: R600a
- Interior Light:Yes
- Basket: Wire/1

Features

- Energy Class :A+
- Fast freezing

Dimensions

- Height - 845mm
- Width - 950mm
- Depth - 644mm



4 Star Freezer Rating



Tropicalised Compressor



Defrost



CFC Free

CFM - 310

Chest Freezer (282L)



Specifications

- Net Volume Freezer (L): 282
- Feet / Wheel: 2 adjustable feet+2 castor
- Temperature Range: ≤-18°C
- Inside Walls: Aluminium
- Cabinet Colour: Gray
- Basket QTY: Wire/1
- Refrigerant: R134a
- Door Colour: Gray
- Door frame: Gray
- Interior Light: Yes
- Door Panel: VCM
- Defrost: Manual
- Handle: 1

Features

- Compressor cooling fan
- Energy efficient
- With cool pack
- Fast freezing

Dimensions

- Height - 845mm
- Width - 1116mm
- Depth - 664mm



4 Star Freezer Rating



Tropicalised Compressor



Defrost



CFC Free

CFM - 410

Chest Freezer (345L)



Specifications

- Net Volume Freezer (L): 345
- Temperature Range: $\leq -18^{\circ}\text{C}$
- Inside Walls: Aluminium
- Cabinet Colour: Gray
- Basket QTY: Wire/1
- Refrigerant: R134a
- Door Colour: Gray
- Door frame: Gray
- Interior Light: Yes
- Door Panel: VCM
- Defrost: Manual
- Wheels: 4
- Handle: 1

Features

- Compressor cooling fan
- Energy efficient
- With cool pack
- Fast freezing

Dimensions

- Height - 825mm
- Width - 1275mm
- Depth - 740mm



4 Star Freezer Rating



Tropicalised Compressor



Defrost



CFC Free

CFM - 560

Chest Freezer (490L)



Specifications

- Net Volume Freezer (L): 490
- Temperature Range: $\leq -18^{\circ}\text{C}$
- Inside Walls: Aluminium
- Cabinet Colour: Gray
- Basket QTY: Wire/1
- Refrigerant: R134a
- Door Colour: Gray
- Door frame: Gray
- Interior Light: Yes
- Door Panel: VCM
- Defrost: Manual
- Wheel: 6 castor
- Handle: 2

Features

- Compressor cooling fan
- Energy efficient
- With cool pack
- Fast freezing

Dimensions

- Height - 825mm
- Width - 1683mm
- Depth - 710mm



4 Star Freezer Rating



Tropicalised Compressor



Defrost



CFC Free

CFM - 660

Chest Freezer (576L)



Specifications

- Net Volume Freezer (L): 576
- Temperature Range: $\leq -18^{\circ}\text{C}$
- Inside Walls: Aluminium
- Cabinet Colour: Gray
- Basket QTY: Wire/1
- Refrigerant: R134a
- Door Colour: Gray
- Door frame: Gray
- Interior Light: Yes
- Door Panel: VCM
- Defrost: Manual
- Wheel: 6 castor
- Handle: 2

Features

- Compressor cooling fan
- Energy efficient
- With cool pack
- Fast freezing

Dimensions

- Height - 825mm
- Width - 1930mm
- Depth - 740mm



4 Star Freezer Rating



Tropicalised Compressor



Defrost



CFC Free

CFM - 860

Chest Freezer (742L)



Specifications

- Net Volume Freezer (L): 742
- Case Liner: Embossed Aluminum, step bottom
- Chest Type: Chest Type with Hinged Solid Lid
- Temperature Control: Mechanical Dial
- Case Shell: Powder Coated CRS
- Case Top Frame: Joint Extruded
- Lid Shell: Powder Coated CRS
- Basket: Coated Steel Wires (2)
- Indicator: Compressor On
- Refrigerant: R134a
- Number of Lid: 3
- Drainage: Yes
- Wheel: YES

Features

- T-type compressor
- Energy efficient
- Fast freezing
- 3 baskets

Dimensions

- Height - 842mm
- Width - 2415mm
- Depth - 725mm



4 Star Freezer Rating



Tropicalised Compressor



Defrost



CFC Free



SILVERDOME

Showcase Chillers



SCS - 250

Showcase Chiller (198L)



Specifications

- Net capacity: 198L
- Interior light / Light power input (watt) : Top Led light / 3W+3W
- Adjustable Feet (Front / Rear) : 2 Castor + 2 Adjustable feet
- Door Type / No. : Double normal glass / 1
- Energy consumption (Kwh/24h) : 1.8
- Noise level db(A) : 55db(A)
- Weight N/G (Kg) : 56/60
- Defrost System : Manual
- Handle type : Recessed
- Refrigerant: R600a
- Body colour : Gray
- Shelves : Wire / 4
- Lock : yes

Features

- Efficient and Fast cooling system
- Double walled glass door
- Front blow technology
- Adjustable shelves
- Quiet Designr

Dimensions

- Height -1740mm
- Width - 535mm
- Depth - 525mm



Tropicalised
Compressor



Inner Fan



CFC Free

SCS - 310

Showcase Chiller (288L)



Specifications

- Net capacity: 288L
- Adjustable Feet (Front / Rear) : 2 Castor + 2 Adjustable feet
- Temperature Range: 0~10°C
- Interior Light: Top LED Light
- 330ml Cans Capacity: 245
- Defrost System : Manual
- Top Lamp Box: LED light
- Handle type : Recessed
- Cabinet Colour: Gray
- Refrigerant: R600a
- Body colour : Gray
- Shelves : Wire / 4
- Lock : yes

Features

- Efficient and Fast cooling system
- Double walled glass door
- Front blow technology
- Adjustable shelves
- Quiet Designr

Dimensions

- Height - 1790mm
- Width - 615mm
- Depth - 600mm



Tropicalised
Compressor



Inner Fan



CFC Free

SCS - 320

Showcase Chiller (310L)



Specifications

- Net capacity: 310L
- Interior light / Light power input (watt) : Top Led light / 3W+3W
- Adjustable Feet (Front / Rear) : 2 Castor + 2 Adjustable feet
- Door Type / No. : Double normal glass / 1
- Energy consumption (Kwh/24h) : 2.1
- Noise level db(A) : 55db(A)
- Weight N/G (Kg) : 60/67
- Defrost System : Manual
- Handle type : Recessed
- Refrigerant: R600a
- Body colour : Gray
- Shelves : Wire / 4
- Lock : yes

Features

- Efficient and Fast cooling system
- Double walled glass door
- Front blow technology
- Adjustable shelves
- Quiet Designr

Dimensions

- Height - 1895mm
- Width - 625mm
- Depth - 665mm



Tropicalised
Compressor



Inner Fan



CFC Free

SCS - 360

Showcase Chiller (338L)



Specifications

- Net capacity Net (L): 338
- Adjustable Feet^o(Front / Rear) 2 castor+2 adjustable feet
- Temperature Range: 0~10°C
- Interior Light: Top LED Light
- 330ml Cans Capacity: 280
- Handle: Recessed Handle
- Top Lamp Box: LED light
- Cabinet Colour: Gray
- Refrigerant: R600a
- Body color: Gray
- Defrost: Manual
- Shelves: Wire/4
- Lock: Yes

Features

- Efficient and Fast cooling system
- Double walled glass door
- Front blow technology
- Adjustable shelves
- Quiet design

Dimensions

- Height - 1985mm
- Width - 615mm
- Depth - 600mm



Tropicalised
Compressor



Inner Fan



CFC Free

SCS - 400

Showcase Chiller (400L)



Specifications

- Net capacity: 400L
- Double tempered Glass door with Black PVC frame
- Body cabinet in Black Pre-painted Steel
- Shelves (Wire/Glass/Plastic): Wire/5
- Product NW/GW : 90/100 kilo
- Temperature Range: 0~10°C
- Interior Light: Top LED Light
- Top Lamp Box: LED light
- 220-240V/50Hz/320W
- Refrigerant: R290/60g
- Fan cooling system
- Defrost: No Frost
- Digital controller

Features

- Efficient and Fast cooling system
- Double walled glass door
- With handle and lock
- Adjustable shelves
- Quiet Design

Dimensions

- Height -1975mm
- Width - 620mm
- Depth - 610mm



Tropicalised Compressor



Inner Fan



CFC Free

SCD - 560

Showcase Chiller (618L)



Specifications

- Net capacity: 618L
- Cooling system: Fan cooling
- Control system: Mechanical
- Refrigerant: R600a
- Interior light: Yes/1
- Climate type: T
- Feet: 4wheel
- Handle: Yes
- Lock: Yes

Features

- Thick thermal insulation
- Tempered glass door
- Internal condenser

Dimensions

- Height -1995mm
- Width -1000mm
- Depth -610mm



Tropicalised Compressor



Inner Fan

SCD - 680

Showcase Chiller (670L)



Specifications

- Net capacity: 670L
- Temperature Range : 0-10° Degrees
- Voltage / Frequency : 220C/50Hz
- Temperature Display : Optional
- Control System : Mechanical
- Weight N/G (Kg) : 91/100
- Colour : White/Black
- Climate Type : N/ST
- Interior Light : Yes/1
- Refrigerant : R600a
- Feet : 4 Wheels
- Shelf : Yes/4
- Lock: Yes

Features

- Thick thermal insulation
- Tempered glass door
- Internal condenser

Dimensions

- Height -1995mm
- Width -1000mm
- Depth -610mm



Tropicalised Compressor



Inner Fan

SCD - 900

Showcase Chiller (900L)



Specifications

- Net capacity: 900L
- Double tempered Glass door with Black PVC frame
- Body cabinet in Black Pre-painted Steel
- Shelves (Wire/Glass/Plastic): Wire/5
- Product NW/GW : 165/178 kilo
- Temperature Range: 0~10°C
- Interior Light: Top LED Light
- Top Lamp Box: LED light
- 220-240V/50Hz/480W
- Refrigerant: R290/140g
- Fan cooling system
- Defrost: No Frost
- Digital controller

Features

- Efficient and Fast cooling system
- Double walled glass door
- With handle and lock
- Adjustable shelves
- Quiet Design

Dimensions

- Height -1975mm
- Width -1120mm
- Depth -610mm



Tropicalised Compressor



Inner Fan

SCT - 990

Showcase Chiller (980L)



Specifications

- Total Capacity (Liters) : 980L
- Compressor & Condenser : Donper / Bottom (Square)
- Temperature Controller : Mechanical
- Temperature Range : 0-10 Degrees
- Voltage / Frequency : 220V/50Hz
- Weight N/G (Kg) : 130/154
- Handle & Lock : Built-in
- Feet : 4 Castor Wheels
- Interior Light : LED
- Refrigerant : R290
- Door Frame : PVC
- Colour : Black
- Shelf : Yes/4

Features

- Superior Cooling & Performance
- Thick thermal insulation
- Tempered glass door
- Front Hot Air System
- Internal condenser

Dimensions

- Height -1952mm
- Width -610mm
- Depth -1480mm



Tropicalised Compressor



Inner Fan

SCT - 1700

Showcase Chiller (1700L)



Specifications

- Net capacity: 1700L
- Double tempered Glass door with Black PVC frame
- Body cabinet in Black Pre-painted Steel
- Shelves (Wire/Glass/Plastic): Wire/5
- Product NW/GW : 195/225 kilo
- Temperature Range: 0~10°C
- Interior Light: Top LED Light
- Top Lamp Box: LED light
- 220-240V/50Hz/550W
- Refrigerant: R290/80g
- Fan cooling system
- Defrost: No Frost
- Digital controller

Features

- Efficient and Fast cooling system
- Double walled glass door
- With handle and lock
- Adjustable shelves
- Quiet Design

Dimensions

- Height -2030mm
- Width -1730mm
- Depth -630mm



Tropicalised Compressor



Inner Fan

SILVERDOME

Twin Tub Washing Machines



WMS - 07

Washing Machine (7.5kg)



Specifications

- Rated wash/spin capacity: 7.5kg
- Aluminium motor with motor thermal fuse protection
- Passed 5000 times non-failure running test
- Rated wash/spin power: 400/180W
- Large pulsator with 3 impellers
- Working Voltage : 220V, 50HZ
- Spinning speed: ≥1400RPM
- Two-side water supply
- Transparent cover
- Rust proof body
- Air-dry

Features

- Strong pulsator for powerful water flow
- Sturdy plastic body
- 2 wash programs
- Spin air dry

Dimensions

- Height - 880mm
- Width - 710mm
- Depth - 400mm



Sturdy Plastic Body



Spin Air Dry



2 Wash Programs



Strong Pulsator

WMS - 10

Washing Machine (10kg)



Specifications

- Rated wash/spin capacity: 10kg
- Aluminum motor with motor thermal fuse protection
- Passed 5000 times non-failure running test
- Rated wash/spin power: 400/180W
- Large pulsator with 3 impellers
- Working voltage: 220V, 50Hz
- Spinning speed: ≥1400RPM
- Two-side water supply
- Transparent Cover
- Rust proof body
- Air-dry

Features

- Strong pulsator for powerful water flow
- Sturdy plastic body
- 2 wash programs
- Spin air dry

Dimensions

- Height - 980mm
- Width - 830mm
- Depth - 480mm



Sturdy Plastic Body



Spin Air Dry



2 Wash Programs



Strong Pulsator

WMS - 13

Washing Machine (13kg)



Specifications

- Rated wash/spin capacity: 13kg
- Single Layer rust proof body with Imported plastic material
- Unique design, Powerful cleaning, Two-side water supply
- Aluminium motor with motor thermal fuse protection
- Passed 5000 times non-failure running test
- Rated wash/spin power: 400/180W
- Large pulsator with 3 impellers
- Working Voltage : 220V, 50HZ
- Spinning speed: ≥1400RPM
- Transparent ABS covers

Features

- Strong pulsator for powerful water flow
- Sturdy plastic body
- 2 wash programs
- Spin air dry

Dimensions

- Height - 1020mm
- Width - 505mm
- Depth - 855mm



Sturdy Plastic Body



Spin Air Dry



2 Wash Programs



Strong Pulsator

WMS - 071

Washing Machine (7kg)



Specifications

- Rated wash/spin capacity: 7/5.6 kg
- PP body/frame/base with Transparent Grey cover
- Rated wash/spin power: 380/160W
- Working Voltage : 220V, 50HZ
- Max. water level : 66L
- Spin speed : 1250 rpm

Features

- Strong pulsator for powerful water flow
- Sturdy plastic body
- Spin air dry

Dimensions

- Height - 759mm
- Width - 941mm
- Depth - 440mm



Sturdy Plastic Body



Spin Air Dry



Strong Pulsator

WMS - 090

Washing Machine (9kg)



Specifications

- Rated wash/spin capacity: 9/5.6 kg
- PP body/frame/base with Transparent Grey cover
- Rated wash/spin power: 420/160W
- Working Voltage : 220V, 50HZ
- Max. water level : 82L
- Spin speed : 1320 rpm

Features

- Strong pulsator for powerful water flow
- Sturdy plastic body
- Spin air dry

Dimensions

- Height - 796mm
- Width - 974mm
- Depth - 470mm



Sturdy Plastic Body



Spin Air Dry



Strong Pulsator



SILVERDOME

Top Load Washing Machines



WMT - 06

Washing Machine (6kg)



Specifications

- Real washing/ spin capacity: 6kg
- With Child lock, damper, preset delay start, fuzzy functions
- Rated wash/spin power: 320W
- Working Voltage : 220V, 50HZ
- Water level 8
- Plastic body

Features

- Tub clean function
- Ratproof: Yes
- Child lock

Dimensions

- Height - 895mm
- Width - 555mm
- Depth - 545mm



Tub Clean
Function



Spin Air
Dry



Strong
Pulsator



Child
Lock

WMT - 08

Washing Machine (8kg)



Specifications

- Real washing/ spin capacity: 8kg
- Anti-explosion capacitance: Yes
- Automatic Power Off: Yes
- Air Damping derrick: Yes
- Common Pulsator: Yes
- Washing Power: 400
- PCB waterproof: Yes
- Tub Volume (L): 58.5
- Diamond Tub: Yes
- Metal PCM Body
- Spin Power: 340
- Tub Height: 356

Features

- 2 Water inlets with pump
- Tub clean function
- Color: Gentle blue
- Lid Color: Black
- Ratproof: Yes
- Glass lid: Yes
- Child lock

Dimensions

- Height - 900mm
- Width - 530mm
- Depth - 520mm



Tub Clean
Function



Spin Air
Dry



Strong
Pulsator



Child
Lock



Dispenser
Drawer

WMT - 11

Washing Machine (10.5kg)



Specifications

- Real washing/ spin capacity: 10.5kg
- Anti-explosion capacitance: Yes
- Automatic Power Off: Yes
- Air Damping derrick: Yes
- Common Pulsator: Yes
- Washing Power: 500
- PCB waterproof: Yes
- Tub Volume (L): 65.1
- Diamond Tub: Yes
- Metal PCM Body
- Spin Power: 450
- Tub Height: 348

Features

- 2 Water inlets with pump
- Tub clean function
- Color: Gentle blue
- Lid Color: Black
- Ratproof: Yes
- Glass lid: Yes
- Child lock

Dimensions

- Height - 910mm
- Width - 566mm
- Depth - 556mm



Tub Clean
Function



Spin Air
Dry



Strong
Pulsator



Child
Lock



Dispenser
Drawer



SILVERDOME

Front Load Washing Machines



WMF - 07

Front Load Washing Machine (7kg)



Specifications

- Rated wash/spin capacity: 7kg
- 12 Programs: Express, Steam, Delicates, Synthetic washes
- Foam Sensing & Removal with hot and cold water option
- Intelligent Washing System with Auto restart
- Strong pulsator for powerful water flow
- Motor Type : BLDC Invertor motor
- Rated wash/spin power: 420W
- With Drum Clean funtion : Yes
- Inner Drum : 42L / Comb type
- Drum Lifter : Mountain Lifter
- Spinning speed:≥1400RPM
- Delay with touch key
- Net Weight : 50 Kilos

Features

- Galvanised Sheet Body
- With Child Lock : Yes
- Spin Air Dry

Dimensions

- Height - 845mm
- Width - 598mm
- Depth - 408mm



Tub Clean Function



Spin Air Dry



Strong Pulsator



Child Lock

WMF - 09

Front Load Washing Machine (9kg)



Specifications

- Rated wash/spin capacity: 9kg
- 12 Programs: Express, Steam, Delicates, Synthetic washes
- Foam Sensing & Removal with hot and cold water option
- Intelligent Washing System with Auto restart
- Strong pulsator for powerful water flow
- Motor Type : BLDC Invertor motor
- Rated wash/spin power: 420W
- With Drum Clean funtion : Yes
- Inner Drum : 52L / Comb type
- Drum Lifter : Mountain Lifter
- Spinning speed:≥1400RPM
- Delay with touch key
- Net Weight : 55 Kilos

Features

- Galvanised Sheet Body
- With Child Lock : Yes
- Spin Air Dry

Dimensions

- Height - 845mm
- Width - 598mm
- Depth - 450mm



Tub Clean Function



Spin Air Dry



Strong Pulsator



Child Lock

SILVERDOME

Free Standing Cooker



FSC - 501

Free Standing Cooker (4 gas burners)



Specifications


- 4 Gas Burners (Piep Type System)
- Double Layer Brown Rock Wool Isolation
- Chrome coated Wire Rack system
- British type Plug & Power cable
- Push button for gas burners
- Chrome coated Wire Grid
- Cast Iron pan supports
- Double knobs Control
- Close Door Function
- Net Weight (Kg) : 25
- Enamel oven tray
- Glass top lid

Features

- 50X50 model
- Push Button for Gas Burners
- Double Glass Oven Door
- Euro Burners

Dimensions

- Height - 875mm
- Width - 585mm
- Depth - 515mm



Euro Burners
Wish Push
Buttons



Double Glass
Oven Door

FSC - 502

Free Standing Cooker (3 gas burners, 1 hot plate)



Specifications


- Lama grids(4 fingers), Ignition on hob part & Glass top lid
- Upper-Lower resistance thermostat for electrical oven
- Double door oven glass with removable inner glass
- Front and sides Metallic Silver colour painted body
- 1 tray + 1 grid in the oven, with fixed dishwarmer
- "3 Gas pool (nozzle) type burners + 1 hot plate
- Black colour oven glass door
- Top hob Stainless Steel
- Adjustable oven legs
- Black enamel Cavity
- LPG or NG adjusted
- Techno knob
- Oven lamp

Features

- 50X50 Compact model
- White Glass Wool Insulation
- Inox knobs control
- Oven lamp

Dimensions

- Height - 875mm
- Width - 585mm
- Depth - 515mm




Euro Burners
Wish Push
Buttons



Double Glass
Oven Door



Electric
Hotplate



Enamelled Semi
Cast Iron Grids

FSC - 503

Free Standing Cooker (4 gas burners)



Specifications

- Gas oven with single knob control
- Semi Rapid Gas burner : 2*1.50kW
- Auxillary Gas burner : 1.00kW
- Chrome wire grid and tray
- Rapid Gas burner : 1.85kW
- N.W / G.W : 27kilo / 25kilo
- Total Gas power : 7.85kW
- Push button hob ignition
- Splash lid (back guard)
- 4 Gas (Pipe) Burners
- Enamel Pan Support
- Oven burner : 1100W
- Black oven cavity

Features

- 50X50 model
- Push Button for Gas Burners
- American type plug and cable
- Lpg G30 30mBar : 745g/h
- Double Glass Oven Door
- 120V / 60Hz

Dimensions


- Height - 875mm
- Width - 585mm
- Depth - 515mm



Gas Cooker



Double Glass
Oven Door



Enamelled Semi
Cast Iron Grids

FSC - 601

Free Standing Cooker (4 gas burners)



Specifications


- 4 Gas Burners (Piep Type System)
- Pure Gray colour double glass oven door
- Graphite Gray top & Dove gray body
- Chrome coated Wire rock system
- British type Plug & Power cable
- Push button for gas burners
- Cast Iron pan supports
- Double knobs Control
- Close Door Function
- Net Weight (Kg) : 34
- Enamel oven tray
- Glass top li

Features

- 60X60 model
- Push Button for Gas Burners
- Double Glass Oven Door
- Euro Burner

Dimensions

- Height - 875mm
- Width - 585mm
- Depth - 515mm



Euro Burners
Wish Push
Buttons



Double Glass
Oven Door

FSC - 602

Free Standing Cooker (4 gas burners)



Specifications

- Semi Cast Iron grids, Ignition on hob part & Glass top lid
- Front and sides Metallic Silver colour painted body
- Mechanical timer turbo fan Chicken rotisserie
- 4 Gas pool (nozzle) type burners
- British type plug & power cable
- Limit Thermostat (0+3 functions)
- High efficiency White Glass
- Up & down electrical oven
- Aluminium model handle
- Double Glass oven door
- Inox model knobs
- Techno knob

Features

- 60X60 Ecoline model
- White Glass Wool Insulation
- Inox knobs control
- Oven lamp

Dimensions


- Height - 875mm
- Width - 585mm
- Depth - 515mm



Gas Cooker



Double Glass
Oven Door



Enamelled Semi
Cast Iron Grids

FSC - 603

Free Standing Cooker (3 gas burners, 1 hot plate)



Specifications

- Semi Cast Iron grids, Ignition on hob part & Glass top lid
- Front and sides Metallic Silver colour painted body
- Mechanical timer turbo fan Chicken rotisserie
- 3 Gas pool (nozzle) type burners + 1 hot plate
- British type plug & power cable
- Limit Thermostat (0+3 functions)
- High efficiency White Glass
- Up & down electrical oven
- Aluminium model handle
- Double Glass oven door
- Inox model knobs
- Techno knob

Features

- 60X60 Ecoline model
- White Glass Wool Insulation
- Inox knobs control
- Oven lamp

Dimensions


- Height - 875mm
- Width - 585mm
- Depth - 515mm



Gas Cooker



Double Glass
Oven Door



Enamelled Semi
Cast Iron Grids



Electric
Hotplate

FSC - 604

Free Standing Cooker (3 gas burners, 1 hot plate)



Specifications

- Gas oven with single knob control
- Semi Rapid Gas burner : 2*1.50kW
- Auxillary Gas burner : 1.00kW
- 2 Chrome wire grids and tray
- Rapid Gas burner : 1.85kW
- N.W / G.W : 36kilo / 34kilo
- Total Gas power : 7.85kW
- Push button hob ignition
- Splash lid (back guard)
- Enamel Pan Support
- Oven burner : 2.00W
- 4 Gas (Pipe) Burners
- Black oven cavity

Features

- 60X60 Free Standing Cooker
- American type plug and cable
- Lpg G30 30mBar : 745g/h
- Double Glass oven door
- 120V / 60Hz

Dimensions

- Height - 875mm
- Width - 585mm
- Depth - 515mm



Gas Cooker



Double Glass Oven Door



Enamelled Semi Cast Iron Grids



Electric Hotplate

FSC - 961

Free Standing Cooker (5 gas burners)



Specifications


- 5 Gas Burners (Euro Pool Type System)
- Pure Gray colour double glass oven door
- Graphite gray top & dove gray body
- Glass top lid with aluminium frame
- Chrome coated wire rack system
- Limit Thermostat (0+3 functions)
- British type plug & power cable
- Push button for gas burners
- Chrome coated wire grid
- Double Glass oven door
- Double knobs control
- Close door function
- Enamel oven function

Features

- 90X60 model
- Flame Failure device for Burners
- Euro Burners – Sabaf burner
- Push Button for Gas Burners
- Double Glass Oven Door

Dimensions

- Height - 950mm
- Width - 842mm
- Depth - 685mm




Euro Burners Wish Push Buttons



Gas Cooker



Double Glass Oven Door



Enamelled Semi Cast Iron Grids

FSC - 962

Free Standing Cooker (5 gas burners)



Specifications

- 5 Gas burners - 4 Gas pool (nozzle) type burners + 1 big tripple burner
- Front and sides Metallic Silver colour painted body
- Inox model knobs & Aluminium model handle
- Limit Thermostat (0+3 functions)
- British type plug & power cable
- Mechanical timer turbo fan
- Up & down electrical oven
- Double Glass oven door
- Top hob Stainless Steel
- Ignition on hob part
- 1 big triple burner
- Chicken rotisserie
- Aluminium handle

Features

- 90X60 Avangard model
- White Glass Wool Insulation
- Inox knobs control
- Oven lamp

Dimensions


- Height - 950mm
- Width - 842mm
- Depth - 685mm



Gas Cooker



Double Glass
Oven Door



Enamelled Semi
Cast Iron Grids





SILVERDOME

Air Conditioner



SAC - 090

Air Conditioner (9,000BTU/H)



Specifications

- Cooling Capacity BTU/H : 9000 (2700-10000)
- Operation temperature range : 16°C-40°C
- Outdoor Unit Weight N/G : 23/28 Kilos
- Indoor Unit Weight N/G : 6/7/8.2 Kilos
- Compressor : CRSS SANYO (Rotary)
- Voltage / Frequency : 220V / 50HZ
- Noise Level (DBA) : 37/34/32
- EER Cooling : 3.21

Features

- Rotary type Inverter Compressor
- Golden Fins
- Split Type

Dimensions

- Indoor Unit Dimension:
 - Height - 305mm
 - Width - 700mm
 - Depth - 200mm
- Outdoor Unit Dimension:
 - Height - 460mm
 - Width - 640mm
 - Depth - 287mm



Cooling



Remote Control



Golden Fin

SAC - 120

Air Conditioner (12,000BTU/H)



Specifications

- Indoor Unit Weight N/G : 9.5 / 10.5 Kilos
- Outdoor Unit Weight N/G : 23/28 Kilos
- Voltage / Frequency : 220V / 50HZ
- Cooling Capacity BTU/H : 12000
- Heating Capacity BTU/H : 12000
- Air Flow Volume (M3/H) : 560
- Compressor : GREE (Rotary)
- Noise Level (DBA) : 39/51
- COP Heating: 3.3
- EER Cooling : 2.8

Features

- Dual function - Cooling & Heating
- Split unit type
- Golden Fin

Dimensions

- Indoor Unit Dimension:
 - Height - 290mm
 - Width - 800mm
 - Depth - 190mm
- Outdoor Unit Dimension:
 - Height - 505mm
 - Width - 630mm
 - Depth - 238mm



Heating



Cooling



Remote Control



Golden Fin

SAC - 121

Air Conditioner (12,000BTU/H)



Specifications

- Cooling Capacity BTU/H : 12000 (2700-13000)
- Operation temperature range : 16°C-40°C
- Outdoor Unit Weight N/G : 25.5/28 Kilos
- Indoor Unit Weight N/G : 7.5/9.2 Kilos
- Compressor : CRSS SANYO (Rotary)
- Voltage / Frequency : 220V / 50HZ
- Noise Level (DBA) : 39/37/34
- EER Cooling : 3.21

Features

- Rotary type Inverter Compressor
- Golden Fins
- Split Type

Dimensions

- Indoor Unit Dimension:
 - Height - 305mm
 - Width - 765mm
 - Depth - 200mm
- Outdoor Unit Dimension:
 - Height - 510mm
 - Width - 700mm
 - Depth - 302mm



Cooling



Remote Control



Golden Fin

SAC - 181

Air Conditioner (18,000BTU/H)



Specifications

- Cooling Capacity BTU/H : 18000 (2700-13000)
- Operation temperature range : 16°C-40°C
- Outdoor Unit Weight N/G : 32.5/35 Kilos
- Indoor Unit Weight N/G : 12.5/14.5 Kilos
- Compressor : CRSS SANYO (Rotary)
- Voltage / Frequency : 220V / 50HZ
- Noise Level (DBA) : 49/47/45
- EER Cooling : 3.21

Features

- Rotary type Inverter Compressor
- Golden Fins
- Split Type

Dimensions

- Indoor Unit Dimension:
 - Height - 310mm
 - Width - 970mm
 - Depth - 230mm
- Outdoor Unit Dimension:
 - Height - 550mm
 - Width - 800mm
 - Depth - 302mm



Cooling



Remote Control



Golden Fin

SAC - 241

Air Conditioner (24,000BTU/H)



Specifications

- Cooling Capacity BTU/H : 24000 (2700-25000)
- Operation temperature range : 16°C-43°C
- Outdoor Unit Weight N/G : 40.5/43.5 Kilos
- Indoor Unit Weight N/G : 13.5/16.5 Kilos
- Compressor : CRSS SANYO (Rotary)
- Voltage / Frequency : 220V / 50HZ
- Noise Level (DBA) : 50/47/45
- EER Cooling : 3.28

Features

- Rotary type Inverter Compressor
- Golden Fins
- Split Type

Dimensions

- Indoor Unit Dimension:
 - Height - 334mm
 - Width - 1030mm
 - Depth - 232mm
- Outdoor Unit Dimension:
 - Height - 550mm
 - Width - 800mm
 - Depth - 302mm



Cooling



Remote Control



Golden Fin



SILVERDOME

Water Dispenser



DTC - 950

Hot, Normal & Cold (3 Taps Water Dispenser)



Specifications

- Cold Water Temperature and Cooling
- Heating water capacity : 85-95°C 5L/h
- Rated Voltage : 220-240V / 50/60Hz
- 304 Stainless Steel Weld hot tank
- Compressor cooling power : 80W
- Compressor cooling top load
- N.W / G.W : 12.0kilo / 11.0kilo
- Electric cooling power : 70W
- Electric cooling 10-15°C 7L/h
- Over-current protection
- Capacity: 8-10°C 2L/h

Features

- Heating Power : 500W
- Danfu compressor
- With cabinet

Dimensions

- Height - mm
- Width - mm
- Depth - mm



Top Loading



Three Taps

DTC - 951

Hot, Normal & Cold (3 Taps Water Dispenser)



Specifications

- Cold Water Temperature and Cooling
- Heating water capacity : 85-95°C 5L/h
- Rated Voltage : 220-240V / 50/60Hz
- 304 Stainless Steel Weld hot tank
- Compressor cooling power : 80W
- Compressor cooling top load
- N.W / G.W : 12.0kilo / 11.0kilo
- Electric cooling power : 70W
- Electric cooling 10-15°C 7L/h
- Over-current protection
- Capacity: 8-10°C 2L/h

Features

- Heating Power : 500W
- Danfu compressor
- With cabinet

Dimensions

- Height - mm
- Width - mm
- Depth - mm



Top Loading



Three Taps

DTC - 952

Hot & Cold (2 Taps Water Dispenser)



Specifications

- Cold Water Temperature and Cooling
- Heating water capacity : 85-95°C 5L/h
- Rated Voltage : 220-240V / 50/60Hz
- 304 Stainless Steel Weld hot tank
- Compressor cooling power : 90W
- Compressor cooling top load
- N.W / G.W : 12.5kilo / 11.5kilo
- Electric cooling power : 70W
- Electric cooling 10-15°C 7L/h
- Over-current protection
- Capacity: 8-10°C 2L/h

Features

- Heating Power : 500W
- Danfu compressor
- With cabinet

Dimensions

- Height - mm
- Width - mm
- Depth - mm



Top
Loading



Two Taps



SILVERDOME

Dry & Steam Iron



SIC - 200

Steam Iron



Specifications

- Dry Iron / Steam Iron / Spray / Burst Steam
- Tuneable temperature for different clothes
- 220-240V / 50/60Hz / 1600-2000W
- Ceramic soleplate - Size: 20.3X11.6
- NW / GW : 0.65Gms / 0.75Gms
- BS Plug with Power cord
- Over heat protection
- 360 Pivoting cord
- Indicator light
- Self Cleaning
- Tank : 270ml

Features

- Tuneable temperature control
- Overheat protection
- Ceramic soleplate



Temperature Control



Anti-Calc and Self Clean



Overheat Protection



Ceramic Soleplate

SIC - 202

Steam Iron



Specifications

- Dry Iron / Steam Iron / Burst Steam / Vertical Steam / Spray
- Tuneable temperature for different clothes
- 220-240V / 50/60Hz / 1800-2200W
- Ceramic soleplate - Size: 23.5*12.4cm
- NW / GW : 1.0kilo / 1.1kilo
- BS Plug with Power cord
- Over heat protection
- 360 Pivoting cord
- Indicator light
- Self Cleaning
- Tank : 400ml

Features

- Tuneable temperature control
- Overheat protection
- Anti-calc & Anti-drip
- Ceramic soleplate



Temperature Control



Self Clean



Overheat Protection



Ceramic Soleplate

SIC - 203

Steam Iron



Specifications

- Dry Iron / Steam Iron / Burst Steam / Vertical Steam / Spray
- Tuneable temperature for different clothes
- 220-240V / 50/60Hz / 1800-2200W
- Ceramic soleplate - Size: 23.3*12.2cm
- NW / GW : 0.9kilo / 1.0kilo
- BS Plug with Power cord
- Over heat protection
- 360 Pivoting cord
- Indicator light
- Self Cleaning
- Tank : 380ml

Features

- Tuneable temperature control
- Overheat protection
- Anti-calc & Anti-drip
- Ceramic soleplate



Temperature Control



Anti-Calc and Self Clean



Overheat Protection



Ceramic Soleplate

SIC - 220

Steam Iron



Specifications

- Dry Iron / Steam Iron / Burst Steam / Vertical Steam / Spray
- Tuneable temperature for different clothes
- 220-240V / 50/60Hz / 1800-2200W
- Ceramic soleplate - Size: 22.5*11.7cm
- NW / GW : 0.9kilo / 1.0kilo
- BS Plug with Power cord
- Over heat protection
- 360 Pivoting cord
- Indicator light
- Self Cleaning
- Tank : 300ml

Features

- Tuneable temperature control
- Overheat protection
- Anti-calc & Anti-drip
- Ceramic soleplate



Temperature Control



Self Clean



Overheat Protection



Ceramic Soleplate

SIT - 120

Steam Iron



Specifications

- Dry Iron / Steam Iron
- Tuneable temperature for different clothes
- 220-240V / 50/60Hz / 1000-1200W
- Non-Stick soleplate - Size: 20.3X11.6
- NW / GW : 600Gms / 700Gms
- BS Plug with Power cord
- Over heat protection
- 360 Pivoting cord
- Indicator light
- Tank : 120ml

Features

- Tuneable temperature control
- Overheat protection
- Non-Stick soleplate



Temperature Control



Overheat Protection



Non-Stick Soleplate

SIT - 160

Steam Iron



Specifications

- Dry Iron / Steam Iron / Burst Steam / Spray
- Non-Stick soleplate - Size: 20.3X11.6
- Tuneable temperature for different clothes
- 220-240V / 50/60Hz / 1400-1600W
- NW / GW : 645gms / 750gms
- BS Plug with Power cord
- Over heat protection
- 360 Pivoting cord
- Indicator light
- Self Cleaning
- Tank : 220ml

Features

- Tuneable temperature control
- Overheat protection
- Non-Stick soleplate



Temperature Control



Self Clean



Overheat Protection



Non-Stick Soleplate

DIT - 120

Dry Iron



Specifications

- Dry Iron
- Tuneable temperature for different clothes
- 220-240V / 50/60Hz / 1000-1200W
- NW / GW : 550gms / 650gms
- BS Plug with Power cord
- Over heat protection
- 360 Pivoting cord
- Indicator light

Features

- Tuneable temperature control
- Overheat protection



Temperature Control



Overheat Protection

HIT - 120

Dry Iron



Specifications

- Dry Iron
- Tuneable temperature for different clothes
- 220-240V / 50/60Hz / 1000-1200W
- Ceramic soleplate - Size: 10.5*19cm
- NW / GW : 1.5kilo / 1.3kilo
- BS Plug with Power cord
- Over heat protection
- 360 Pivoting cord
- Indicator light

Features

- Tuneable temperature control
- Overheat protection
- Ceramic soleplate



Temperature Control



Overheat Protection



Ceramic Soleplate

HIT - 121

Dry Iron



Specifications

- Dry Iron
- Tuneable temperature for different clothes
- 220-240V / 50/60Hz / 1000-1200W
- Ceramic soleplate - Size: 10.5*19.5cm
- NW / GW : 1.4kilo / 1.2kilo
- BS Plug with Power cord
- Over heat protection
- 360 Pivoting cord
- Indicator light

Features

- Tuneable temperature control
- Overheat protection
- Ceramic soleplate



Temperature
Control



Overheat
Protection



Non-Stick
Soleplate





SILVERDOME

Garment Steamer

SILVERDOME
BRING COMFORT HOME

GSH-150

Garment Steamer



Specifications

- Garment Steamer - Hand-held
- 220-240V, 50/60Hz, 1500W
- 100ml Water cup
- With BS plug

Features

- With brush
- Indicator Light
- Continuous steam
- Removable water tank

Dimensions

- Height - 276mm
- Width - 155mm
- Depth - 123mm



Power



Indicator Light



Fast Heating



Continuous
Steam Function



Removable
Water Tank



SILVERDOME

Sandwich Makers And Grills



SMT - 750

2 Slice Sandwich Maker



Specifications

- Injected Black colour with Stainless Steel Housing with Black lock
- 220-240V / 50/60Hz / 750W
- NW / GW : 1.29Kg / 1.46Kg
- Two Slice Sandwich Maker
- Fixed baking temperature
- BS plug with power cord
- Triangular baking plates
- Anti-adhesive layer
- Heating Pilot light
- Power light
- Cool Touch

Features

- Anti-adhesive plates
- Triangular Baking plates
- Cool Touch

Dimensions

- Height - 8.9cm
- Width - 23.3cm
- Depth - 23.7cm



Anti-Adhesive
Plates



Triangular Baking
Plates



Cool Touch
Housing

SMT - 751

2 Slice Sandwich Maker



Specifications

- Injected Black colour with Stainless Steel Housing with Black lock
- 220-240V / 50/60Hz / 750W
- NW / GW : 1.46kilo/1.29kilo
- Two Slice Sandwich Maker
- Fixed baking temperature
- BS plug with power cord
- Triangular baking plates
- Anti-adhesive layer
- Heating Pilot light
- Power light
- Cool Touch

Features

- Anti-adhesive plates
- Baking plates
- Cool Touch

Dimensions

- Height - 80mm
- Width - 200mm
- Depth - 210mm



Anti-Adhesive
Plates



Triangular Baking
Plates



Cool Touch
Housing

SMF - 120

4 Slice Sandwich Maker



Specifications

- Injected Black colour with Stainless Steel Housing with Black lock
- 220-240V / 50/60Hz / 1200W
- NW / GW : 3.25kilo / 3.0kilo
- Four Slice Sandwich Maker
- Fixed baking temperature
- BS plug with power cord
- Triangular baking plates
- Anti-adhesive layer
- Heating Pilot light
- Power light
- Cool Touch

Features

- Anti-adhesive plates
- Triangular Baking plates
- Cool Touch

Dimensions

- Height - 355mm
- Width - 281mm
- Depth - 106mm



Anti-Adhesive Plates



Triangular Baking Plates



Cool Touch Housing

PAG - 200

4 Slice Panini Grill



Specifications

- Four Slice Panini Grill
- Safety thermal cut-off and thermo fuse
- 180 degrees open BBQ and Drip tray
- 220-240V / 50/60Hz / 2000W
- Non-stick coating grill plates
- NW / GW : 3.25kilo / 3.0kilo
- Power On and Ready light
- BS plug with power cord
- Cool Touch Housing

Features

- Anti-adhesive grill plates
- Heating Indicator light

Dimensions

- Height - 336mm
- Width - 333mm
- Depth - 136mm



Cool Touch Exterior



Non-Stick Plates



Heating Indicator Light

SILVERDOME

Air Fryers



AFD - 350

Air Fryer (3.5L)



Specifications

- Capacity: 3.5L (Basket) / 4.2L (Drawer)
- Plastic body with stainless steel deoration
- Automatic shut-off for precise cooking
- Detachable non-stick drawer
- Voltage: 220-240V 50/60Hz
- Can cook with minimal oil
- Detachable frying basket
- Rated Power : 1300W
- Over heat protection
- Power cord storage
- 8 present recipes

Features

- Shake reminder function
- Over heat protection
- 8 preset recipes
- Touch panel

Dimensions

- Height - 638mm
- Width - 414mm
- Depth - 324mm



Over Heat Protection



Non-Slip Feet



Big Size Touch Panel



Shake Reminder

AFD - 600

Air Fryer (6L)



Specifications

- Capacity: 6.0L (Basket) / 7.2L (Drawer)
- Plastic body with stainless steel deoration
- Automatic shut-off for precise cooking
- Detachable non-stick drawer
- Voltage: 220-240V 50/60Hz
- Can cook with minimal oil
- Detachable frying basket
- Rated Power : 1800W
- Over heat protection
- Power cord storage
- 8 present recipes

Features

- Shake reminder function
- Over heat protection
- 8 preset recipes
- Touch panel

Dimensions

- Height - 380mm
- Width - 448mm
- Depth - 378mm



Over Heat Protection



Non-Slip Feet



Big Size Touch Panel



Shake Reminder

AFM - 450

Air Fryer (4.5L)



Specifications

- Capacity : 4.5L / 3.3L (basket)
- With few drops of oil or no oil during frying process, healthy lifestyle
- Micro switch on / off Automatic memory keep safe and convenient
- High speed air circulation technology frying
- Thick non-stick Inner Pot and food basket
- Volatage: 220-240V 50/60Hz
- Detachable non-stick drawer
- Overheating security system
- Mechanical control panel
- Multi-Functional Air Fryer
- BS plug with power cord
- Rated power: 1400W

Features

- High speed air circulation technology
- Healthier and Faster cooking
- NW / GW : 3.5kilos / 4.5kilos

Dimensions

- Height - 314mm
- Width - 300mm
- Depth - 256mm



Circulation
Technology



Healthier &
Easier Cooking



Non-Slip
Feet



Less Oil
Consumption

AFM - 500

Air Fryer (5L)



Specifications

- Capacity: 5.0L (Basket)
- Removable and washable basket with non-stick coating
- Automatic shut-off with ready alert
- Adjustable temperature: 80-200°C
- 220-240V, 50/60 Hz, 1450W
- Dishwasher safe parts
- Cool touch handle
- Include frying tray
- 30 minutes timer
- Non-slip feet
- With BS plug

Features

- Auto shut-off with ready alert
- 30 minutes Timer

Dimensions

- Height - 270mm
- Width - 315mm
- Depth - 322mm



Circulation
Technology



Healthier &
Easier Cooking



Non-Slip
Feet



Less Oil
Consumption

SILVERDOME

Multi Pressure Cookers



- SILVERDOME
- | | | | |
|--------------|--------------|-----------------|------------------|
| Keep Warm | Cancel | 88:88 | Preset |
| Rice | | | Porridge |
| Soup | Taste Choice | | Fast Cooking |
| Stew | + | - | Cake |
| Beans Tendon | Grains rice | Noodles Hot pot | Steaming Chicken |

PCD - 600

Multi Pressure Cooker (6.0L)



Specifications

- Capacity : 6L Pressure Cooker
- Non-Stick Coating Aluminum 580g inner side coating
- Overheat Safety Protection Black Coating Heater
- Removable 3*0.75*1m Power cord with BS Plug
- Black PP Stainless Steel Body
- Open Lid Cooking Available
- 220-240V, 50-60Hz, 1000W
- Electric Menu Button Panel
- Black Convenient Handle

Features

- Electric menu button panel
- Over heat protection
- Open lid cooking

Dimensions

- Height - 34.5cm
- Width - 34cm



Over Heat
Protection



Open Lid
Cooking



Electric Menu
Button Panel



SILVERDOME

Rice Cookers



RCD - 060

Cylinder Rice Cooker (0.6L)



Specifications

- Cylinder Rice Cooker 0.6L
- 0.25mm - White colour Outer Shell with flowers
- Accessories : Spoon, Measuring Cup, Steamer
- 250g +/- 10g - White colour heating element
- BS plug with 1.2m Copper power cord
- 0.3mm - Black colour Middle Shell
- 140g +/- 10g Non-stick inner pot
- Voltage: 220-240V 50/60Hz
- Copper with fuse inner wire
- Extra protector Thermostat
- Rated Power : 350W
- White colour plastic
- With Glass lid

Features

- With Steamer and Glass lid
- Non-Stick inner pot
- One click operation

Dimensions

- Height - 257mm
- Width - 203mm
- Depth - 269mm



Non-Stick Pot



Steamer



Extra Protected
Thermostat

RCD - 100

Cylinder Rice Cooker (1.0L)



Specifications

- Cylinder Rice Cooker 1.0L
- 0.25mm - White colour Outer Shell with flowers
- Accessories : Spoon, Measuring Cup, Steamer
- 270g +/- 10g - White colour heating element
- BS plug with 1.2m Copper power cord
- 0.3mm - Black colour Middle Shell
- 170g +/- 10g Non-stick inner pot
- Voltage: 220-240V 50/60Hz
- Copper with fuse inner wire
- Extra protector Thermostat
- Rated Power : 400W
- White colour plastic
- With Glass lid

Features

- With Steamer and Glass lid
- Non-Stick inner pot
- One click operation

Dimensions

- Height - 265mm
- Width - 225mm
- Depth - 269mm



Non-Stick Pot



Steamer



Extra Protected
Thermostat

RCD - 150

Cylinder Rice Cooker (1.5L)



Specifications

- Cylinder Rice Cooker 1.5L
- 0.25mm - White colour Outer Shell with flowers
- Accessories : Spoon, Measuring Cup, Steamer
- 350g +/- 10g - White colour heating element
- BS plug with 1.2m Copper power cord
- 0.3mm - Black colour Middle Shell
- 200g +/- 10g Non-stick inner pot
- Voltage: 220-240V 50/60Hz
- Copper with fuse inner wire
- Extra protector Thermostat
- Rated Power : 500W
- White colour plastic
- With Glass lid

Features

- With Steamer and Glass lid
- Non-Stick inner pot
- One click operation

Dimensions

- Height - 305mm
- Width - 235mm
- Depth - 310mm



Non-Stick Pot



Steamer



Extra Protected
Thermostat

RCD - 180

Cylinder Rice Cooker (1.8L)



Specifications

- Cylinder Rice Cooker 1.8L
- 0.25mm - White colour Outer Shell with flowers
- Accessories : Spoon, Measuring Cup, Steamer
- 350g +/- 10g - White colour heating element
- BS plug with 1.2m Copper power cord
- 0.3mm - Black colour Middle Shell
- 290g +/- 10g Non-stick inner pot
- Voltage: 220-240V 50/60Hz
- Copper with fuse inner wire
- Extra protector Thermostat
- Rated Power : 700W
- White colour plastic
- With Glass lid

Features

- With Steamer and Glass lid
- Non-Stick inner pot
- One click operation

Dimensions

- Height - 325mm
- Width - 245mm
- Depth - 310mm



Non-Stick Pot



Steamer



Extra Protected
Thermostat

RCD - 220

Cylinder Rice Cooker (2.2L)



Specifications

- Cylinder Rice Cooker 2.2L
- 0.25mm - White colour Outer Shell with flowers
- Accessories : Spoon, Measuring Cup, Steamer
- 450g +/- 10g - White colour heating element
- BS plug with 1.2m Copper power cord
- 0.3mm - Black colour Middle Shell
- 370g +/- 10g Non-stick inner pot
- Voltage: 220-240V 50/60Hz
- Copper with fuse inner wire
- Extra protector Thermostat
- Rated Power : 900W
- White colour plastic
- With Glass lid

Features

- With Steamer and Glass lid
- Non-Stick inner pot
- One click operation

Dimensions

- Height - 340mm
- Width - 266mm
- Depth - 335mm



Non-Stick Pot



Steamer



Extra Protected
Thermostat

RCD - 280

Cylinder Rice Cooker (2.8L)



Specifications

- Cylinder Rice Cooker 2.8L
- 0.25mm - White colour Outer Shell with flowers
- Accessories : Spoon, Measuring Cup, Steamer
- 500g +/- 10g - White colour heating element
- BS plug with 1.2m Copper power cord
- 0.3mm - Black colour Middle Shell
- 420g +/- 10g Non-stick inner pot
- Voltage: 220-240V 50/60Hz
- Copper with fuse inner wire
- Extra protector Thermostat
- Rated Power : 1000W
- White colour plastic
- With Glass lid

Features

- With Steamer and Glass lid
- Non-Stick inner pot
- One click operation

Dimensions

- Height - 370mm
- Width - 310mm
- Depth - 350mm



Non-Stick Pot



Steamer



Extra Protected
Thermostat

RCD - 101

Cylinder Rice Cooker (1.0L)



Specifications

- Cylinder Rice Cooker 1.0L
- Accessories : Spoon, Measuring Cup, Aluminium Steamer
- 270g +/- 10g - White colour heating element
- BS plug with 1.2m Copper power cord
- 0.25mm - Gray colour Outer Shell
- 0.3mm - Black colour Middle Shell
- 170g +/- 10g Non-stick inner pot
- Voltage: 220-240V 50/60Hz
- Copper with fuse inner wire
- Rated Power : 400W
- With Glass lid

Features

- With Steamer and Glass lid
- Non-Stick inner pot
- One click operation

Dimensions

- Height - 240mm
- Width - 255mm
- Depth - 260mm



Non-Stick Pot



Steamer



Extra Protected
Thermostat

RCD - 182

Cylinder Rice Cooker (1.8L)



Specifications

- Cylinder Rice Cooker 1.8L
- Accessories : Spoon, Measuring Cup, Aluminium Steamer
- 350g +/- 10g - White colour heating element
- BS plug with 1.2m Copper power cord
- 0.25mm - Gray colour Outer Shell
- 0.3mm - Black colour Middle Shell
- 290g +/- 10g Non-stick inner pot
- Voltage: 220-240V 50/60Hz
- Copper with fuse inner wire
- Rated Power : 700W
- With Glass lid

Features

- With Steamer and Glass lid
- Non-Stick inner pot
- One click operation

Dimensions

- Height - 325mm
- Width - 245mm
- Depth - 310mm



Non-Stick Pot



Steamer



Extra Protected
Thermostat

RCD - 281

Cylinder Rice Cooker (2.8L)



Specifications

- Cylinder Rice Cooker 2.8L
- Accessories : Spoon, Measuring Cup, Aluminium Steamer
- 500g +/- 10g - White colour heating element
- BS plug with 1.2m Copper power cord
- 0.28mm - Gray colour Outer Shell
- 0.3mm - Black colour Middle Shell
- 420g +/- 10g Non-stick inner pot
- Voltage: 220-240V 50/60Hz
- Copper with fuse inner wire
- Rated Power : 1000W
- With Glass lid

Features

- With Steamer and Glass lid
- Non-Stick inner pot
- One click operation

Dimensions

- Height - 370mm
- Width - 310mm
- Depth - 350mm



Non-Stick Pot



Steamer



Extra Protected
Thermostat



SILVERDOME

Kettles



KCS - 170

Stainless Steel Kettle (1.7L)



Specifications

- 1.7L Water Kettle
- Brushed finish Stainless Steel body with Black Plastic parts
- Voltage: 220-240V / 50/60Hz / 1850-2200W
- Automatic / manual switch off
- External water level indicator
- NW / GW : 0.83Kg / 0.98Kg
- STRIX controller
- Indicator light
- Heat resistant

Features

- 360 degree rotation
- Stainless Steel Body
- Boil dry protection
- Safety Lock Lid

Dimensions

- Height - 218mm
- Width - 226mm
- Depth - 154mm



SS304



With Safety
Lock Lid



Boil-Dry
Protection



360° Rotational
Base

KCS - 171

Stainless Steel Kettle (1.7L)



Specifications

- 1.7L Water Kettle
- Brushed finish Stainless Steel body with Black Plastic parts
- Voltage: 220-240V / 50/60Hz / 1850-2200W
- Automatic / manual switch off
- External water level indicator
- NW / GW : 0.86Kg / 1.01Kg
- Chinese controller
- Indicator light
- Heat resistant

Features

- 360 degree rotation
- Stainless Steel Body
- Boil dry protection
- Safety Lock Lid

Dimensions

- Height - 211mm
- Width - 252mm
- Depth - 165mm



SS304



With Safety
Lock Lid



Boil-Dry
Protection



360° Rotational
Base

KCS - 172

Stainless Steel Kettle (1.7L)



Specifications

- 1.7L Water Kettle
- Brushed finish Stainless Steel body with Black Plastic parts
- Voltage: 220-240V / 50/60Hz / 1850-2200W
- Automatic / manual switch off
- External water level indicator
- NW / GW : 0.86Kg / 1.01Kg
- STRIX controller
- Indicator light
- Heat resistant

Features

- 360 degree rotation
- Stainless Steel Body
- Boil dry protection
- Safety Lock Lid

Dimensions

- Height - mm
- Width - mm
- Depth - mm



SS304



With Safety
Lock Lid



Boil-Dry
Protection



360° Rotational
Base

KCS - 173

Stainless Steel Kettle (1.7L)



Specifications

- 1.7L Water Kettle
- Brushed finish Stainless Steel body with Black Plastic parts
- Voltage: 220-240V / 50/60Hz / 1850-2200W
- Automatic / manual switch off
- External water level indicator
- NW / GW : 0.86Kg / 1.01Kg
- STRIX controller
- Indicator light
- Heat resistant

Features

- 360 degree rotation
- Stainless Steel Body
- Boil dry protection
- Safety Lock Lid

Dimensions

- Height - mm
- Width - mm
- Depth - mm



SS304



With Safety
Lock Lid



Boil-Dry
Protection



360° Rotational
Base

KCP - 250

Plastic Kettle (2.5L)



Specifications

- 2.5L Water Kettle
- Plastic body with SS304 concealed heating element
- Voltage: 220-240V / 50/60Hz / 1850-2200W
- Automatic / manual switch off
- External water level indicator
- NW / GW : 1.10Kg / 0.95Kg
- Chinese controller
- Indicator light
- Heat resistant

Features

- 360 degree rotation
- Boil dry protection
- Safety Lock Lid
- Plastic Body

Dimensions

- Height - 235mm
- Width - 180mm
- Depth - 270mm



With Safety
Lock Lid



Boil-Dry
Protection



360° Rotational
Base

SILVERDOME

Blenders & Juicers



CBP - 200

Commercial Blender (3.0L)



Specifications

- Rated Capacity: 3.0L
- Motor: Pure Copper with overheating safety Device
- Safety Devices: Auto shut off device for over current
- On/Off switch, Variable speed control, Pulse control
- Blades: High quality stainless steel 4 blades
- Tamper: Help to blend the food competely
- Jar: Durable for drop test, food grade PC
- Net/Gross Weight: 4.4kg / 4.8kg
- 220-240V, 50-60Hz, 2200W

Features

- Auto Shut off device for Over current
- Speed Control On/Off Switch
- Stainless Steel Blades
- 3.0L Durable PC Jar

Dimensions

- Height - 474mm
- Width - 219mm
- Depth - 259mm



3.0L Durable Jar



Stainless Steel Blades



Speed Control With Pulse Control

BLP - 350

Blender (1.5L)



Specifications

- Rated Capacity : 1.5L
- 1.5L Glass jug, 50gms Glass grinding cup
- BS plug with power cord
- Two speeds with pulse
- 7020 full copper motor
- PP Base with Glass jar
- 220-240V, 50Hz
- Blender with mill
- Power: 350W

Features

- Knob switch with 2 speeds
- Pulse function

Dimensions

- Height - 42cm
- Width - 20cm
- Depth - 17cm



With 1.5L Glass Jar



High Quality Blades



Automatic Shut-Off



Speed Control With Pulse Control

BLP - 400

Blender (1.5L)



Specifications

- Rated Capacity : 1.5L
- Can blend different kinds of juice
- Voltage : 220-240V, 50-60Hz
- Plastic body with plastic jar
- Rated Power : 400W

Features

- 2 Speeds Control with Pulse
- With one grinder
- With 1.5L AS Jar
- With jar lock

Dimensions

- Height - 417mm
- Width - 568mm
- Depth - 420mm



With 1.5L
As Jar



With Jar
Lock



Speed Control
With Pulse Control

BLP - 450

Blender (1.5L)



Specifications

- Rated Capacity : 1.5L
- 1.5L PC Jar, 50g PC grinding Cups
- With inbuilt safety switch, and thermsat for protecting the motor.
- Multi-functional design for blending, girinding, chopping.
- ABS Blender base. PC Jar and Cups, will never break.
- Knob switch with 2 speeds and pulse function.
- Voltage: 110~120V/220~240V , 50/60Hz
- 7025 full copper motor
- Stand Blender
- Power: 450W

Features

- Knob switch with 2 speeds
- Multi-functional design
- Pulse function

Dimensions

- Height - 42cm
- Width - 20cm
- Depth - 17cm



With 1.5L
As Jar



High Quality
Blades



Automatic
Shut-Off



Speed Control
With Pulse Control

BLP - 451

Blender (1.8L)



Specifications

- Rated Capacity : 1.8L
- Safe operation touching point and over-heat protecting system.
- ABS Blender base, and stainless steel decorating ring.
- 2 speeds selectable and with different function
- Multi-functional design for blending, grinding.
- Voltage: 110~120V/220~240V , 50/60Hz
- Power: 7025 full copper Motor, 450W
- 1.8L PC Jar, 50g grinding cup
- Stand Blender

Features

- Knob switch with 2 speeds
- Multi-functional design
- Pulse function

Dimensions

- Height - 31cm
- Width - 19cm
- Depth - 28.3cm



With 1.8L
As Jar



High Quality
Blades



Automatic
Shut-Off



Speed Control
With Pulse Control

BLP - 500

Blender (1.5L)



Specifications

- Rated Capacity : 1.5L
- High quality Stainless Steel 4 blades
- Voltage : 220-240V, 50-60Hz
- 1.5L PC Jar with Grinder cup
- 2 Speeds control with pulse
- Durable AS Plastic jar
- Rated Power : 500W
- Full Copper motor
- Stand Blender

Features

- Speed Control On/Off Switch
- NW/GW : 1.6kilo / 2.1kilo
- Stainless Steel Blades

Dimensions

- Height - mm
- Width - mm
- Depth - mm



With 1.5L
As Jar



Stainless
Steel Blades



Speed Control
With Pulse Control

BLP - 501

Blender (1.5L)



Specifications

- Rated Capacity : 1.5L
- High quality Stainless Steel 4 blades
- Voltage : 220-240V, 50-60Hz
- 1.5L PC Jar with Grinder cup
- 2 Speeds control with pulse
- Durable AS Plastic jar
- Rated Power : 500W
- Full Copper motor
- Stand Blender

Features

- Speed Control On/Off Switch
- NW/GW : 1.6kilo / 2.1kilo
- Stainless Steel Blades

Dimensions

- Height - 206mm
- Width - 163mm
- Depth - 376mm



With 1.5L
As Jar



Stainless
Steel Blades



Speed Control
With Pulse Control

BLP - 502

Blender (1.5L)



Specifications

- Rated Capacity : 1.5L
- High quality Stainless Steel 4 blades
- Voltage : 220-240V, 50-60Hz
- 1.5L PC Jar with Grinder cup
- 2 Speeds control with pulse
- Durable AS Plastic jar
- Rated Power : 500W
- Full Copper motor
- Stand Blender

Features

- Speed Control On/Off Switch
- NW/GW : 1.6kilo / 2.1kilo
- Stainless Steel Blades

Dimensions

- Height - 206mm
- Width - 163mm
- Depth - 376mm



With 1.5L
As Jar



Stainless
Steel Blades



Speed Control
With Pulse Control

SBP - 250

Smoothie Blender (500ML)



Specifications

- Rated Capacity: 500ML
- Safe operation touching point and over-heat protecting system.
- With 2pcs of 500ml sport portable cups
- Voltage: 110~120V/220~240V , 50/60Hz
- With pulse function, easy for daily using
- Excellent new design blender for food
- ABS Blender base
- Smoothie Blender

Features

- Quick blending in one touch
- Portable jar with plastic lid
- High quality blades
- Safety lock

Dimensions

- Height - 37.8cm
- Width - 11.6cm
- Depth - 12.8cm



One Touch
Blending



With Safety
Lock



Stainless
Steel Blades

SBP - 300

Smoothie Blender (550ML)



Specifications

- Rated Capacity: 550ML
- With 3 Portable 550ml Jars with travel lid
- Quick and Efficient blending
- Voltage: 220-240V, 50/60Hz
- 550ml Smoothie Blender
- Rated Power : 300W
- With Safety lock

Features

- With stainless steel blades
- One button operation
- With jar lock

Dimensions

- Height - 374mm
- Width - 111.6mm
- Depth - 124.3mm



One Touch
Blending



With Jar
Lock



Stainless
Steel Blades



With Portable
Jars

PBP - 030

Portable Juicer Blender (300ML)



Specifications

- 300ml Juice and Cup Portable Blender
- Small size, portable and convenient meet the needs of take-out
- Designed to prevent accelerating the oxidation of the blade
- Ability to charge anytime and anywhere
- Food grade material, safe and secure
- 4 pieces blades fine and smooth
- 50cm micro USB Cable
- Rated Power : 30W
- Rated Voltage : 5V
- Battery : 1200mAh
- DC380 motor

Features

- One touch blending
- 4 pieces blade
- USB charging
- Secure lid
- Portable

Dimensions

- Height - 195mm
- Width - 85mm
- Depth - 85mm



Nutrition On
The Go



Secure Lid
System



One Touch
Blending



Easy With USB
Charging



Stainless
Steel Blades

JCS - 400

Juicer (1.2L)



Specifications

- Rated Capacity : 1.2L
- Overheat protection on powerful motor
- Two speeds control section
- Stainless Steel filter basket
- BS plug with power cord
- Stainless Steel Juicer
- Non-slip rubber feet
- Safety lock device
- 1.2l Pulp container
- 450ml Juice cup
- Transparent lid
- 220-240V, 50Hz
- Power: 400W

Features

- Overheat protection
- Safety lock device
- 2 Speeds Control

Dimensions

- Height - 417mm
- Width - 568mm
- Depth - 420mm



High Quality
Blades



Automatic
Shut-Off



Speed Control

SILVERDOME

Grills



MCG - 200

Portable Charcoal Grill



Specifications

- Portable Charcoal Grill
- 0.5mm coating iron material
- N.W / G.W : 3.33kilo / 2.97kilo

Features

- 434*148mm Carbon mesh size
- 446*286mm Grill mesh size

Dimensions

- Expanded size: 455*295*365mm
- Folded size: 455*456*26mm



Stainless Steel Grill
For Durable Use



Portable And
Foldable For
Easy use



Super Slim
Easy To
Carry



SILVERDOME

Multi-Function Egg Cookers



EBT - 700

Multi-Function Egg Cooker



Specifications

- Multi-function Egg Cooker
- Easy to steam veggies, seafood, dumplings
- Transparent lid & auto shut-off function
- Multi-functional - to boil, poach, steam
- 220-240V / 50/60Hz / 360W
- SS201 body with PP bottom part
- Double layered steamers
- BS plug with power cord
- PP Egg tray / Egg bowl

Features

- Automatic heat-off system
- Oilless healthy cooker
- 2 Trays - Max. 14 Eggs

Dimensions

- Height - 220mm
- Width - 210mm
- Depth - 180mm



Automatic
Heat-Off



14 Eggs
Capacity



Oil-less
Cooker





SILVERDOME

Televisions



STV - 032

Led Smart Television (32inch)



Specifications

- 32inch Led Smart Television
- AV support resolution: PAL/576P*NTSC/480P
- HDMI support resolution:1920*1080 60hz
- OSD Language:English/Arabic/Others
- Screen resolution: 1366*768/HD
- Speaker output power: 2*7W
- Master chip solution:HiSilicon
- Maximum board power:48W
- HDMI / HDCP -Version: 1.4
- Miracast & Kindlink:Yes
- Wireless network: Yes
- Brightness: 180nit

Features

- 2 HDMI Ports
- 2 USB Ports
- Android 12
- Smart TV

Dimensions

- Height - 463mm
- Width - 720mm
- Depth - 192mm



HD Smart TV



HDMI Ports



USB Ports

STV - 132

HD DLED TV (32inch)



Specifications

- 32inch HD DLED TV
- Input Voltage : 100-240V AC 50/60HZ
- Power ON consumption : \leq 50W
- Max. colours : 16.7M (8 Bit)
- Ports : HDMI x 3, USB x 2
- Resolution : 1366X768
- DVB-T2 Smart (1+8G)
- Android version : 14
- A+Grade Panel
- Wall mount

Features

- Wall mount
- HDMI ports
- USB ports

Dimensions

- Unit not including base
(unit:mm) 718.4*60.7*419.3
- Unit including base
(unit:mm) 718.4*201.3*481.8



HD Smart TV



HDMI Ports



USB Ports

STV - 043

HD DLED TV (43inch)



Specifications

- 43inch HD DLED TV
- Input Voltage : 100-240V AC 50/60HZ
- Power ON consumption : $\leq 70W$
- Max. colours : 16.7M (8 Bit)
- Ports : HDMI x 3, USB x 2
- Resolution : 1920X1080
- DVB-T2 Smart (1+8G)
- Android version : 14
- A+Grade Panel
- Wall mount

Features

- Wall mount
- HDMI ports
- USB ports

Dimensions

- Unit not including base (unit:mm) 957*72*554
- Unit including base (unit:mm) 957*224*612



HD Smart TV



HDMI Ports



USB Ports

GTV - 055

Google TV (55inch)



Specifications

- 55inch 4K Frameless TV
- Wall bracket and APP store in TV
- Magic remote, with Bluetooth
- Support both 2.4G + 5G
- Google 3.0, 2G + 8G
- A+ Panel 100% NBD
- DVB-T2/S2 turnner
- BS standard plug
- Wi-Fi signal
- Full Black

Features

- Google 3.0 Smart
- Magic remote
- HDMI ports
- USB ports

Dimensions

- Wall handing hole (unit:mm) 200*200
- Unit not including base (unit:mm) 1226.2*80.3*722.1
- Unit including base (unit:mm)1226.2*260.9*767.6



Google Smart TV



HDMI Ports



USB Ports

GTV - 065

Google TV (65inch)



Specifications

- 65inch 4K Frameless TV
- Wall bracket and APP store in TV
- Magic remote, with Bluetooth
- Support both 2.4G + 5G
- Google 3.0, 2G + 8G
- A+ Panel 100% NBD
- DVB-T2/S2 turnner
- BS standard plug
- Wi-Fi signal
- Full Black

Features

- Google 3.0 Smart
- Magic remote
- HDMI ports
- USB ports

Dimensions

- Wall handing hole (unit:mm) 200*200
- Unit not including base (unit:mm) 1444.8*81*842.3
- Unit including base (unit:mm)1444.8*289.5*905.5



Magic Remote



Google Smart TV



HDMI Ports



USB Ports

GTV - 151

UHD Google TV (50inch)



Specifications

- 50inch UHD Google 5.0 Smart (2+8G)
- Input Voltage : 100-240V AC 50/60HZ
- With Dolby, Bluetooth, Voice remote
- Power ON consumption : $\leq 108W$
- Max. colours : 1.07Billion
- Ports : HDMI - 3, USB - 2
- Resolution : 3840X2160
- A+Grade panel
- Wall mount

Features

- Google 3.0 Smart
- Magic remote
- HDMI ports
- USB ports

Dimensions

- Wall handing hole (unit:mm) 200*200
- Unit not including base (unit:mm) 1111.3*83*645.2
- Unit including base (unit:mm)1111.3*254.5*708.9



Google Smart TV



HDMI Ports



USB Ports

SILVERDOME

Scales



WSD - 100

Digital Body Scale



Specifications

- Digital Body scale

Features

- Max. 180kilo

Dimensions

- Height - 4cm
- Width - 26cm
- Depth - 26cm



Digital Scale

WSM - 100

Mechanical Body Scale



Specifications

- Mechanical Body scale

Features

- Max. 130kilo

Dimensions

- Height - 4cm
- Width - 24cm
- Depth - 26.5cm



Mechanical Scale

BSD - 100

Digital Handheld Luggage Scale



Specifications

- Digital handheld luggage scale
- With backlight and battery

Features

- GW: 9.0kilo

Dimensions

- Height - mm
- Width - mm
- Depth - mm



Digital



Backlight



With Battery





SILVERDOME

Hydration

WBS - 500

Stainless Steel Double Walled Water Bottle (500ml)



Specifications

- 500ml Water Bottles
- With laser logo
- Grey colour

Features

- Stainless Steel
- Double walled

Dimensions

- Height - 225mm
- Width - 75mm
- Depth - 75mm



Double Wall
Vacuum Insulation



Safe 304 Food
Grade S/Steel



100% Leak
Proof



Laser
Engraved



SILVERDOME

Kitchen Tools



MSS - 200

Spatula Set



Specifications

- Spatula Set
- 2 Pcs Spatula Se

Material

- Silicone
- 304 Stainless Steel



Food Grade
Material



Durable And
Anti Rust

MMF - 100

Manual Milk Frother



Specifications

- Manual Milk Frother
- Easy Hand With SS Stand
- Power : 2W (2*AA batteries)
- Compartment For Batteries

Material

- ABS
- 304 Stainless Steel



Food Grade
Material



Durable And
Anti Rust



Fixed
Speed



Battery
Powered

MCO - 170

Multi-Functional Can Opener



Specifications

- Can Opener - Multifunctional with built in Bottle opener

Material

- PP
- SS430
- Weight : 200g



Stainless Steel



Heavy Duty Gear



Ergonomic Handle

MVP - 160

Swivel Peeler



Specifications

- Swivel Peeler

Material

- PP
- SS430
- Weight : 51g



Stainless Steel



Ergonomic Handle



Dishwasher Safe

MGP - 120

Manual Garlic Press



Specifications

- Garlic Press
- Easy Clean Brush
- Non-slip handle

Material

- PP Brush
- PP Handle
- Silicone roller
- 304 Stainless



Food Grade Material



Durable And Anti Rust

MFC - 140

Manual Food Chopper



Specifications

- Food Chopper
- Egg separator
- 8 different blades
- With drain basket
- With finger guard

Material

- ABS
- 420J Stainless Steel (14 pcs)
- Weight : 700g/set



304SS Blades



Food Grade Material

MFC - 141

Manual Food Chopper



Specifications

- Food Chopper
- Egg separator
- 8 different blades
- With drain basket
- With finger guard

Material

- ABS
- 420J Stainless Steel (14 pcs)
- Weight : 700g/set



304SS
Blades



Food Grade
Material

MMS - 900

Manual Mandoline Slicer



Specifications

- Mandoline Slice
- Easy slicing, dicing, julienne

Material

- ABS
- 304 Stainless Steel
- Weight : 750g/set



Food Grade
Material



304SS
Blades



Fast And
Efficient

MPC - 650

Manual Pull Chopper



Specifications

- Manual Pull Chopper
- Cup Volume: 650ml

Material

- ABS
- 304 Stainless Steel



Food Grade
Material



Durable And
Anti Rust



Fast And
Efficient

MSC - 900

Manual Press Chopper



Specifications

- Press Chopper
- Cup Volume: 900ml

Material

- ABS
- 304 SS
- Weight : 600g/set



Food Grade
Material



Durable And
Anti Rust



Fast And
Efficient

MRC - 300

Manual Rotary Vegetable Cutter



Specifications

- Rotary Vegetable Cutter
- Interchangeable Drum SS Blades
- Sharp Blades For Slicing, Shredding, Fine Shredding

Material

- ABS
- PP + POM + TPE
- 430
- Weight: 720g/Set



Food Grade
Material



Durable And
Anti Rust

Thanks for Choosing SILVERDOME products that Bring Comfort Home

A series of horizontal dashed lines for writing.

Thanks for Choosing SILVERDOME products that Bring Comfort Home

A series of horizontal dashed lines for writing.



Cosmoss Vu Limited

Address: Unit 12 12F-15F,
Horizon East N.K.I L 4410,
Tsat Po Street, San Po Kong,
Kowloon, Hong Kong.

Email: silverdome@csvul.com

Office number: +852 3741 0357

www.silverdomeworld.com